Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4758842	@ad<"20000612"	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2005/03/04 11:32
L2	689	L1 and time adj multiplexed same processor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L3	189	L2 and (clocks! second adj clock)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 11:34
L4	50	3 and process\$5.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L5	265	1 and 380/29.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L6	20778	1 and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:18
L7	8	6 and 2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:18
L8	0	1 and "358"/160.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:18
L9	1388	1 and 713/200.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L10	121	9 and process\$5.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L11	2	9 and time adj multiplexed same processor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20
L12	5	9 and time adj multiplexed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/04 12:20

S1	1	("5317638").PN.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:03
S2	16	"5317638".URPN.	USPAT	OR	ON	2004/10/28 09:04
S3	4	S2 and clock	USPAT	OR	ON	2004/10/28 09:04
S4	4753218	@ad<"20000612"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/02/16 12:40
S5	971	@ad<"20000612" and (32-bit "32 bit") and clock and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/27 17:45
S6	235	(@ad<"20000612" and (32-bit "32 bit") and clock and encryption) and "XOR"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/27 17:46
S7	126	((@ad<"20000612" and (32-bit "32 bit") and clock and encryption) and "XOR") and clocks!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/27 17:46
S8	17	(((@ad<"20000612" and (32-bit "32 bit") and clock and encryption) and "XOR") and clocks!) and permutation	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/27 17:46
S9	17	(((@ad<"20000612" and (32-bit "32 bit") and clock and encryption) and "XOR") and clocks!) and (permutation p-box)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:03
S10	1	"20020003876"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/02/16 12:40
S11	4758842	@ad<"20000612"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:02
S12	16283	S11 and time with multiplexed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:02
S13	819	S11 and time with multiplexed with processor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:03
S14	1769	S11 and time with multiplexed same processor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:06

				·		
S15	54	S11 and time with multiplexed with processor and encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:04
S16	4	S11 and time with multiplexed with processor same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON .	2005/03/03 16:04
S17	3	S11 and time with multiplexed with processor same encrypt\$5 and clock	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:04
S18	44	S15 and clock	US-PGPUB; USPAT; EPO;	OR	ON	2005/03/03 16:04
		,	IBM_TDB			
S19	3	S16 and clock	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:04
S20	689	S11 and time adj multiplexed same processor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:12
S21	508	S20 and (clocks second adj clock)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:14
S22	16	S21 and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:14
S23	189	S20 and (clocks! second adj clock)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:14
S24	7	S23 and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:21
S25	1	"5812764".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/03 16:21